

Potsdam Institute for Climate Impact Research

Uncertainty in land-use adaptation persists despite crop model projections showing lower impacts under high warming

Edna J. Molina Bacca^{*}, **Miodrag Stevanović, Benjamin Leon Bodirsky**, Kristine Karstens, David Meng-Chuen Chen, Debbora Leip, Christoph Müller, Sara Minoli, Jens Heinke, Jonas Jägermeyr, Christian Folberth, Toshichika Iizumi, Atul K. Jain, Wenfeng Liu, Masashi Okada, Andrew Smerald, Florian Zabel, Hermann Lotze-Campen & Alexander Popp

Journal: Communications earth and environment, August 2023.

*mbacca@pik-potsdam.de

Content

1. Introduction

Adaptation in agriculture, previous studies, and our contribution

2. Methodology

Modeling chain, scenarios, and analysis

3. Results

Global and regional adaptation and average adaptation costs

4. Final remarks



Introduction – Climate change and Agriculture

"...adaptation is a fundamental and ongoing activity in the agricultural sector"¹

"Human-induced climate change is expected to push these managed ecosystems beyond their natural climatic boundaries"²






Image courtesy of Ivan Bandura, https://unsplash.com/es/fotos/ipaEhqTMT(



Introduction - Multiple perspectives of adaptation

Adaptation

Moser & Ekstrom: "...changes in social-ecological systems in response to actual and expected impacts of climate change... can range from short-term coping to longer-term, deeper transformations, ... more than climate change goals alone, and may or may not succeed..."³

In agriculture:

Farm scale: Management practices (e.g., <u>Irrigation</u>^{4,5}, climate-resilient cultivars⁶, modification planting dates⁷, nitrogen input⁵, others⁸)
Land-use scale: Change of production patterns (e.g., <u>transformation between land-use types</u>⁹, <u>shift in crops cultivated and cultivation sites</u>, <u>investments in R&D</u>^{10,11}, changes in trade flows¹²)



Introduction – Previous studies and contribution




What is our contribution?

- Evaluated the individual and combined effect of multiple adaptation strategies using MAgPIE (Model of Agricultural Production and its Impact on the Environment).
- Used the latest multi-model crop yield impact data generated with CMIP6.
- Included CO₂ fertilization effects.




Modeling chain, scenarios and analyses



licensed under CC BY-NC-SA 4.0


0

Harmonized GGCM crop yields median values show only slight losses due to climate change but high uncertainty





Global results - Projections where yields grow lead to reduced input requirements



- Lower needed cropland expansion than previously reported.
- Climate change impacts on yields are buffered through rainfed cropland patterns and TC adjustments.
- Overproduction if the system did not adapt to climate change in optimistic projections.



Regional results - large disparity in the projected regional distribution of impacts





Fig. 3 Regional relative difference of adaptation-related variables estimated by MAgPIE in the year 2100 for three different GCM-GGCM combinations, compared to the SSP5-NoCC scenario (without climate impacts).

- Regions with gains in rainfed yields see less benefit from irrigating land.
- Interdependence between livestock production and competition for land.
- Expansion of production within regions with low land and crop production costs in scenarios with overall losses in yields.
- For optimistic projections, less cropland and TC are needed. Adaptation is also important for a more cost-efficient and less intensified production system.



Regional results - Climate impacts are experienced mostly at the local level



LPJmL-MRI-ESM2-0





Fig. 5 Shift (in percentage points) of allocation of cropland among different crop types for the SSP5-RCP8.5 scenario, three different GCM-GGCM combinations and compared to the baseline sceneario SSP5-NoCC (no climate impacts) in 2100.

PROMET-MRI-ESM2-0






- Crop mixes changes driven by the changes in maize yields in North America.
- The Sahel, Equatorial Africa, and the Mediterranean are particularly sensitive to the changes in yields.



Adaptation costs range from positive to negative values

- Uncertainty in SSP1-RCP 2.6 highest around 2050. It is related to population decrease.
- Differences in costs mostly due to investments in R&D and land conversion.
- Regional climate change impact dynamics have a larger effect than the global impacts.



Concluding remarks

- Including CO₂ fertilization effects results in lower global cropland expansion, intensification, and cost than previously reported.
- A high level of uncertainty remains at global and local regional scales. This highlights the importance of increasing and improving the flexibility of the food system.
- Costs depend more on regional dynamics (climate and socioeconomic-related adjustments) than global ones.



Thank you!



References


- 1. McCarl, BA et al. (2007) Adaptation Options for Agriculture, Forestry and Fisheries. A Report to the UNFCCC Secretariat Financial and Technical Support Division.
- 2. Parry, M. L. et al. (2009). Assessing the costs of adaptation to climate change: a review of the UNFCCC and other recent estimates.
- 3. Moser, S. C., & Ekstrom, J. A. (2010). A framework to diagnose barriers to climate change adaptation. Proceedings of the national academy of sciences, 107(51), 22026-22031.
- 4. Minoli, S. et al. (2019). Global Response Patterns of Major Rainfed Crops to Adaptation by Maintaining Current Growing Periods and Irrigation. Earth's Future 7, 1464–1480.
- 5. Lin, T. S. et al. (2021). Worldwide Maize and Soybean Yield Response to Environmental and Management Factors Over the 20th and 21st Centuries. J. Geophys. Res. Biogeosci. 126,e2021JG006304.
- 6. Zabel, F. et al. (2021). Large potential for crop production adaptation depends on available future varieties. Glob. Change Biol. 27, 3870–3882.
- 7. Franke, J. A. et al. (2021). Agricultural breadbaskets shift poleward given adaptive farmer behavior under climate change. Glob. Change Biol. 28, 167–181.

References

- 8. Jägermeyr, J. et al. (2016). Integrated crop water management might sustainably halve the global food gap. Environ. Res. Lett. 11, 025002.
- 9. Rickards, L. & Howden, S. M. (2012). Transformational adaptation: Agriculture and climate change. Crop Pasture Sci. 63, 240–250.
- 10.Reilly, J. et al. (1996). Agriculture in a changing climate: impacts and adaptation. In Climate change 1995; Impacts, adaptations and mitigation of climate change: scientific-technical analyses., 427–467 Cambridge University Press, Cambridge (UK).
- 11.Smit, B. & Skinner, M. W. (2002). Adaptation options in agriculture to climate change: A typology. Mitigation Adapt. Strat. Glob. Change 7, 85–114.
- 12.Huang, H., von Lampe, M. & van Tongeren, F. (2011). Climate change and trade in agriculture. Food Policy 36, S9–S13.
- 13.Nelson, G. C. et al. (2014). Climate change effects on agriculture: Economic responses to biophysical shocks. Proc. Natl. Acad. Sci. USA. 111, 3274–3279.



Methodology - Pre-processing of data and analyses





Details Scenarios

Table 1 Assumptions made in MAgPIE for Shared Socioeconomic Pathways SSP1 (Sustainability) and SSP5 (Fossil-Fueled development).

Scenario Setting	SSP1 (Sustainability)	SSP5 (Fossil-Fueled development)
Population ⁷¹	Global population grows slowly and peaks in 2050	Global population grows slowly and peaks in 2050
GDP ⁷²	Rather rapid income growth	Fast income growth and development
Food Scenario ²⁶	Healthy and low meat diets, reduced food waste	Unhealthy and high meat consumption diets, high shares of food waste
Trade liberalization (% freely	Reaches 20% for livestock and secondary products, and 30%	Reaches 20% for livestock and secondary
located in more competitive regions)	for all other traded commodities in 2050, until 2100	products, and 30% for all other traded commodities in 2050, until 2100
Land protection and afforestation policies	Compatible with the Paris Agreement and the Nationally Determined Contributions (NDCs)	Current National Policies Implemented (NPIs)
Depreciation rate for capital	5%	5%
Bioenergy demand, emissions budget and carbon price ⁷³	GHG emissions tax emissions and bioenergy demand consistent with an SSP1-RCP2.6 scenario and an emissions budget of 1300 GtCO2 (below 2.0°C) in 2100	Slow incorporation of a uniform carbon price



Self-sufficiency





Fig. 4 Aggregated self-sufficiency ratio of traded agricultural products and their relative percentual change compared with the SSP5-NoCC scenario. Values are plotted by world region for the year 2100 under the most divergent scenarios in SSP5-RCP8.5, and LPJmL-MRI-ESM2-0. a SSP5-NoCC self-sufficiency ratio, b LPJmL-MRI-ESM2-0, c CYGMA1p74-UKESM1-0-LL, d PROMET-MRI-ESM2-0 represent the difference in percentage points of the self-sufficiency ratio between the SSP5-RCP8.5 simulations and SSP5-NoCC.



Postprocessing calculation of effects of not adapting



Regional input yields



P.o



Regional production

